

BOON cheat sheet. It is recommended to read the TUTORIAL to make sense of this. The color of a key indicates the type of argument it expects.

Command mode bindings.

<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> ESC back to normal mode </div>										
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> Q q quote-character </div>	<div style="background-color: #00bfff; padding: 5px; border: 1px solid black;"> D treasure-region d take-region delete </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> R kmacro-start-macro r occur occurR </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> W qsearch-previous w navigate-backward where was? </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> B copy-to-register b insert-register </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> J j smarter-backward </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> F yank-pop f splice fetch </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> U u beginning-of-line </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> P kmacro-end-or-call-macro p end-of-line </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> K smarter-upward k backward-char </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> : ; </div>
<div style="background-color: #cc0033; padding: 5px; border: 1px solid black;"> A a enclose around </div>	<div style="background-color: #00bfff; padding: 5px; border: 1px solid black;"> S s substitute-region substitute </div>	<div style="background-color: #cc0000; padding: 5px; border: 1px solid black;"> H avy-goto-char h avy-goto-word-1 hop </div>	<div style="background-color: #cc0000; padding: 5px; border: 1px solid black;"> T t replace-by-character transform </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> G g goto </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> Y y repeat-command repeat </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> N xref-pop-marker-stack n switch-mark noon walk </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> E qsearch-next e navigate-forward elsewhere? </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> O forward-paragraph o next-line </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> I backward-paragraph i previous-line </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> " ' toggle-mark </div>
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> Z xref-find-references z xref-find-definitions find </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> X highlight-regex x </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> M m </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> C c c-god </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> V open-next-line-and-insert v set-insert-like-state v looks like an insert mark </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> K smarter-upward k backward-char </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> L smarter-downward l forward-char </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> < beginning-of-buffer ' beginning-of-expression </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> > end-of-buffer . end-of-expression </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> ? / </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> </div>
space select region										

Color corresponds to the type of expected argument:

- (Reserved key)
- (Prefix map)
- A region
- A search space
- A character
- No Argument
- First an enclosure, then a region

Left-hand text region specifiers:

<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> q select-outside-quotes </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> d select-document </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> r </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> w select-word </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> b select-blanks </div>
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> a select-borders </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> s select-wim </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> h </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> t </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> g select-paragraph </div>
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> z </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> x select-outside-pairs </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> m </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> c select-inside-pairs </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> v select-with-spaces </div>