

BOON cheat sheet. It is recommended to read the TUTORIAL to make sense of this. The color of a key indicates the type of argument it expects.

Command mode bindings.

<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>ESC</p> <p>back to normal mode</p> </div>										
<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>Q reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>W qsearch-previous</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>F qsearch-next</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>P kmacro-end-or-call-macro</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>G reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>J xref-find-references</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>L reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>U backward-paragraph</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Y forward-paragraph</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>: reserved</p> </div>	
<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>q quote-character</p> </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>w backward-search</p> </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>f forward-search</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>p occur</p> </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>g goto</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>j xref-find-definitions</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>l beginning-of-line</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>u previous-line</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>y next-line</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>; end-of-line</p> </div>	
<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>A reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>R kmacro-start-macro</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>S yank-pop</p> </div>	<div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>T treasure-region</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>D reserved</p> </div>	<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>H avy-goto-char</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>N reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>E smarter-upward</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>I smarter-downward</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>O reserved</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>" reserved</p> </div>
<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>a enclose</p> </div>	<div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>r substitute-region</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>s splice</p> </div>	<div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>t take-region</p> </div>	<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>d replace-by-character</p> </div>	<div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>h avy-goto-word-1</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>n smarter-backward</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>e backward-char</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>i forward-char</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>o smarter-forward</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>' toggle-mark</p> </div>
<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>Z reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>X highlight-regexp</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>C reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>V open-next-line-and-insert</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>B copy-to-register</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>K xref-pop-marker-stack</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>M reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>< beginning-of-buffer</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>> end-of-buffer</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>? reserved</p> </div>	
<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>Z reserved</p> </div>	<div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>X x</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>C c-god</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>v set-insert-like-state</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>b insert-register</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>k switch-mark</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>m qsearch-previous-at-point</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>, beginning-of-expression</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>. end-of-expression</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>/ qsearch-next-at-point</p> </div>	
<p>space</p> <p>select region</p>										

Color corresponds to the type of expected argument:

- (Reserved key)
- (Prefix map)
- A region
- A search space
- A character
- No Argument
- First an enclosure, then a region

Left-hand text region specifiers:

<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>q select-outside-quotes</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>w select-word</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>f select-word</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>p select-paragraph</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>g select-org-table-cell</p> </div>
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>a select-borders</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>r select-justline</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>s select-wim-symbol</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>t select-with-spaces</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>d select-document</p> </div>
<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Z select-content</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>X select-outside-pairs</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>C select-inside-pairs</p> </div>	<div style="background-color: #ffffff; padding: 5px; border: 1px solid black;"> <p>v reserved</p> </div>	<div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>b select-block</p> </div>