

BOON cheat sheet. It is recommended to read the TUTORIAL to make sense of this. The color of a key indicates the type of argument it expects. Command mode bindings.

| | | | | | | | | | | |
|---|--|--|---|---|---|---|---|--|---|---|
| <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>esc</p> <p>back to normal mode</p> </div> | | | | | | | | | | |
| <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Q reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>W re-search backward</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>F re-search forward</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>P Play-macro</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>G reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>J reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>L</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>U previous-paragraph</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Y next-paragraph</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>;</p> </div> | |
| <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>q escape</p> <p>Quote</p> </div> | <div style="background-color: #ff8c00; padding: 5px; border: 1px solid black;"> <p>w search backward</p> <p>backWard</p> </div> | <div style="background-color: #ff8c00; padding: 5px; border: 1px solid black;"> <p>f search forward</p> <p>Forward</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>p helm-occur</p> <p>Pursue</p> </div> | <div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>g helm-...</p> <p>Gather</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>j jump-to-def</p> <p>Jump</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>l begin-of-line</p> <p>⌘</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>u previous-line</p> <p>↑</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>y next-line</p> <p>↓</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>; end-of-line</p> <p>→</p> </div> | |
| <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>A reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>R Record macro</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>S pop-yank</p> </div> | <div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>T copy</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>D reserved</p> </div> | <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>H avy-jump-char</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>N smarter-up</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>E</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>I</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>O smarter-down</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>"</p> </div> |
| <div style="background-color: #800080; padding: 5px; border: 1px solid black;"> <p>a enclose</p> <p>Around</p> </div> | <div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>r kill+insert</p> <p>Replace</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>s yank</p> <p>Splice</p> </div> | <div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>t kill</p> <p>Take</p> </div> | <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>d replace char</p> <p>Displace</p> </div> | <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>h avy-jump</p> <p>Hop</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>n smarter-left</p> <p>←</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>e backward-char</p> <p>←</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>i forward-char</p> <p>→</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>o smarter-right</p> <p>→</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>' toggle mark-active</p> </div> |
| <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Z reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>X reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>C reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>V open line</p> </div> | <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>B copy register</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>K pop-mark-quick</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>M</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>< begin-of-buffer</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>> end-of-buffer</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>?</p> </div> | |
| <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>Z reserved</p> </div> | <div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>X extended C-x</p> <p>eXtended</p> </div> | <div style="background-color: #ffff00; padding: 5px; border: 1px solid black;"> <p>C C-c C-...</p> <p>Command</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>V insert mode</p> <p>v (insert mark)</p> </div> | <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>b yank register</p> <p>Bank</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>k pop-mark</p> <p>back to mark</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>m</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>, begin-of-expr</p> <p>⌘</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>. end-of-expr</p> <p>⌘</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>/</p> </div> | |
| <p>space</p> <p>select region</p> | | | | | | | | | | |

Color corresponds to the type of expected argument:

- (Reserved key)
- (Prefix map)
- A region
- A search space
- A character
- No Argument
- First an enclosure, then a region

Left-hand text region specifiers:

| | | | | |
|--|---|--|--|---|
| <div style="background-color: #ff0000; padding: 5px; border: 1px solid black;"> <p>q quotes (string)</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>w word</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>f word</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>p paragraph</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>g reserved</p> </div> |
| <div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>a enclosure</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>r whole-line</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>s symbol</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>t reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>d document</p> </div> |
| <div style="background-color: #0000ff; padding: 5px; border: 1px solid black;"> <p>Z inclosure</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>X s-expr</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>C s-expr contents</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>v reserved</p> </div> | <div style="background-color: #cccccc; padding: 5px; border: 1px solid black;"> <p>b reserved</p> </div> |